CRAFTMADE

HOSPITALITY CEILING FANS & LIGHTING





TABLE OF CONTENTS

LIGHTING

Rechargeable LED Portable Lamps	6
Indoor Lighting Collections	8
Pendants	26
Flushmounts	28
Sconce & Vanity	30
Outdoor Lighting Collections	38
LED Mirrors	44

CEILING FANS

48
70
116
118

Finishes	124
Warranty	128



LIGHTING

Rechargeable LED Portable Lamps	6
Indoor Lighting Collections	8
Pendants	26
Flushmounts	28
Sconce & Vanity	30
Outdoor Lighting Collections	38
LED Mirrors	44

RECHARGEABLE LED PORTABLE LAMPS **NEW**

- Charges in less than 3 hours with Included USB Type C Charging Cable
- \cdot Delivers over 8 hours of continuous use on high
- Cordless & Portable LED Lamps
- 5 Watt LED Bulb, 200 Lumens
- \cdot Dimmable 5W LED, Integrated
- Touch Dimming, On/Off Switch

FINISHES





Scan for more info



86270R-LED Brushed Polished Nickel D 7.48" W 7.48" H 11" Glass Shade







DAMP


86272R-LED

D 7.48" W 7.48" H 11"

Satin Brass

86273R-LED Midnight D 5.91" W 5.91" H 11" Clear Glass with Frosted Inner Shade USB Port





PULSE NEW

- LED Color Temp 3000K (Dimmable), CRI 90
- Height-Adjustable Cord

FINISHES



Champagne

Brass

Scan for more info



55770-CHB-LED

LED Island L 59" W 11.75" H 9.5" Oval Canopy L 13.39" W 5.51" H 1.57 12' Cord 33 Watt LED 2270 Lumens



55772-CHB-LED

LED Island L 47.25" W 5.88" H 7.5" Rectangular Canopy L 9.84" W 4.72" H 1.57 10' Cord 41 Watt LED 2620 Lumens

55790-FB-LED LED Pendant W 17.75" H 9.25" Round Canopy DIA 5.91" H 1.57 10' Cord 34 Watt LED 2410 Lumens

X




TULI

FINISHES



- LED Color Temp 3000K (Dimmable), CRI 90
- Additional 12" Downrods: Part# 538-DOWNROD-(FINISH)
- Adjustable Left or Right Facing Sconce



Scan for more info



53874-SB-LED

LED Island L 43.3" W 6.9" H 20.38" 4 x 12" & 4 x 6" Rods 8' Cord 31.5 Watt LED 1509 Lumens White Frosted Glass



Adjustable Arm - Left/Right

53862-FB-LED

LED Wall Sconce

16.4 Watt LED

876 Lumens

W 9.8" H 26" E 6.3"

White Frosted Glass



53892-SB-LED

LED Pendant L 8.3" W 5.1" H 26.38" 2 x 12" & 2 x 6" Rods 8' Cord 16 Watt LED 803 Lumens White Frosted Glass

SIMPLE LUX NEW

Frosted Acrylic

- LED Color Temp 3000K (Dimmable), CRI 90
- Damp Rated

FINISHES



Scan for more info



57524-BNK-LED 24 Light LED Chandelier W 27" H 21.88" 6' Chain, 9' Cord Frosted Acrylic 72 Watt LED 2300 Lumens

57520-SB-LED 20 Light LED Pendant W 20" H 20.5"

6' Chain, 9' Cord Frosted Acrylic 60 Watt LED 2100 Lumens



57516-SB-LED 16 Light LED Chandelier W 16" H 17.38" 6' Chain, 9' Cord Frosted Acrylic 48 Watt LED 1600 Lumens



57552-BNK-LED 12 Light LED Convertible W 12" H 15.38" 6' Chain, 9' Cord Frosted Acrylic 36 Watt LED 1400 Lumens



CENTRIC

- Clear Seeded Glass
- LED Color Temp 3000K (Dimmable), CRI 90
- Flushmounts are Damp Rated



FINISHES

Scan for more info



55180-SB-LED LED Flushmount W 10.5" H 5" Clear Seeded Glass 13 Watt LED 720 Lumens



55190-BNK-LED LED Pendant W 7.38" H 13.25" 8' Cord Clear Seeded Glass 6 Watt LED 300 Lumens





55181-BNK-LED LED Flushmount W 12.5" H 6" Clear Seeded Glass 13 Watt LED 720 Lumens



55182-SB-LED LED Flushmount

W 13.75" H 6.8" Clear Seeded Glass 13 Watt LED 720 Lumens




55192-BNK-LED LED Pendant W 14" H 13.25" 8' Cord Clear Seeded Glass 15 Watt LED 900 Lumens

GAZE PENDANT NEW

- Extra 12" Downrods for 56894-XX Oval Pendant: Part# 568-DOWNROD-(FINISH)
- \cdot Add "-WG" to end of model number when ordering white frosted glass

FINISHES



Scan for more info



56894-CH

Oval Pendant W 14" H 8" 3 x 12" & 1 x 6" Rods 10' Cord Clear Glass 60 Watt Medium Base



INDOOR LIGHTING COLLECTIONS

56891-SB-WG

1 Light Pendant W 10" H 10.88" 10' Cord White Frosted Glass 60 Watt Medium Base 56894-CH-WG

Oval Pendant W 14" H 8" 3 x 12" & 1 x 6" Rods 10' Cord White Frosted Glass 60 Watt Medium Base

56892-CH-WG

1 Light Pendant W 11.88" H 12.8" 10' Cord White Frosted Glass 60 Watt Medium Base

56893-SB-WG

1 Light Pendant W 14" H 15.13" White Frosted Glass 10' Cord 60 Watt Medium Base 1 Light Pendant W 10" H 10.88" 10' Cord Clear Glass 60 Watt Medium Base

56891-SB

56892-CH 1 Light Pendant W 11.88" H 12.8" 10' Cord Clear Glass 60 Watt Medium Base

THE RESERVE **NEW FINISH**

- Adjustable Height with 6' Chain, 7' Cord
- Damp Rated
- Island Canopy W 5.12" x L 15.75" x H .78"

FINISHES



Flat Black/Satin Brass



Matte White/Satin Brass

Scan for more info



55529-MWWSB NEW 9 Light Chandelier W 32" H 29.5" 6' Chain, 9' Cord 40 Watt Candelabra



INDOOR LIGHTING COLLECTIONS

55570-FBSB

10 Light Island L 56" W 16.5" H 24.5" 6' Chain, 7' Cord 60 Watt Candelabra



55510-MWWSB

10 Light Chandelier W 42.5" H 24.5" 6' Chain, 7' Cord 60 Watt Candelabra

55526-MWWSB


6 Light Chandelier W 26.63" H 23.25" 6' Chain, 7' Cord 60 Watt Candelabra

,

55534-FBSB

4 Light Chandelier W 17.5" H 24.25" 6' Chain, 7' Cord 60 Watt Candelabra







SABRINA NEW

- Damp Rated
- Flat Black or Matte White with Gold Luster Interior
- Extra 12" Downrods: Part# 566-DOWNROD-(FINISH)

FINISHES



Flat Black/Gold Luster



Matte White/Gold Luster

Scan for more info



56651-MWWGLR

1 Light Convertible Semi Flush W 12.5" H 10.75" 60 Watt Medium Base



56694-FBGLR

4 Light Pendant W 18" H 9.25" 2 x 12" & 2 x 6" Rods 6' Cord 60 Watt Medium Base



56695-FBGLR

5 Light Pendant W 25" H 12.75" 2 x 12" & 2 x 6" Rods 6' Cord 60 Watt Medium Base



56699-MWWGLR

9 Light Pendant W 25" H 19" 2 x 12" & 2 x 6" Rods 6' Cord 60 Watt Medium Base



MELODY

FINISHES

Pendants:

- \cdot 3 x 12" & 1 x 6" Rods, 10' Height Adjustable Cord
- Extra 12" Downrods: Part# 549-DOWNROD-(FINISH)
- \cdot White Frosted Glass Globes

Sconce:

- Integrated 20 Watt LED Light Source, 750 Lumens
- LED Color Temp 3000K (Dimmable), CRI 90



Scan for more info



54991-BNK

1 Light Pendant W 25" H 30.5" 40 Watt Medium Base White Frosted Glass DIA 9"



54993-SB

1 Light Pendant W 15" H 17" 40 Watt Candelabra White Frosted Glass DIA 5.9"



54992-FB

1 Light Pendant W 24" H 23.63" 40 Watt Medium Base White Frosted Glass DIA 7.9"



54960-FB-LED

LED Wall Sconce W 5" H 10.25" E 3.5" 20 Watt LED 750 Lumens Frosted Lens Cover





ROXX

- Natural Rock Crystal Hand Bound to Gilded or Chrome Frames
- Weight Mounting Requirements:
- Small 19.2 LBS
- Medium 41.2 LBS
- Large 95.5 LBS
- Canopy DIA 6.37" x 1.34"

FINISHES



Scan for more info





48491-GLD 1 Light Pendant W 14" H 16.13" 6' Chain, 10' Cord 100 Watt Medium Base



48490-GLD 1 Light Pendant W 9.25" H 11.13" 6' Chain, 10' Cord 100 Watt Medium Base





Antiqued Mercury Glass

FINISHES



Scan for more info



48690-BNK

12 Light Pendant W 29.5" H 32" 6' Chain, 10' Cord 40 Watt Candelabra



48694-SB 9 Light Pendant

W 20.5" H 25" 6' Chain, 10' Cord 40 Watt Candelabra



Œ

48696-SB

9 Light Pendant W 24" H 28" 6' Chain, 10' Cord 40 Watt Candelabra



48628-BNK 28 Light Pendant W 48" H 71.63" 6' Chain, 12' Cord 40 Watt Candelabra



HUXLEY

- Solid Brass Construction
- $\cdot \, {\rm Genuine \, Leather}$
- Sconces Include Optional Ecru Linen Shades

FINISHES



Polished Nickel

Scan for more info





48161-PLN

One Light Wall Sconce W 5.13" H 13.4" E 8' 60 Watt Medium Base Ecru Linen Shade DIA 5.13"



48129-PLN 9 Light Chandelier W 34" H 25" 6' Chain, 8' Cord 60 Watt Medium Base

48162-PLN 2 Light Wall Sconce W 13" H 14.44" D 7.5" 60 Watt Medium Base Ecru Linen Shade DIA 5.13"





Natural Woven Rattan



Aged Bronze Brushed

Scan for more info



54576-ABZ

6 Light Island L 31.75" W 12.5" H 21.5" 6' Chain, 10' Cord 60 Watt Medium Base Rattan Shade



54596-ABZ 6 Light Pendant W 20.5" H 25.5" 6' Chain, 10' Cord 60 Watt Medium Base Rattan Shade

54561-ABZ

1 Light Wall Sconce W 6.12" H 8.5" E 8.5" 60 Watt Medium Base Rattan Shade



54534-ABZ 4 Light Foyer W 16.25" H 29" 6' Chain, 10' Cord 60 Watt Medium Base Rattan Shade


54591-ABZ

1 Light Pendant W 6" H 8.25" 3 x 12" & 1 x 6" Rods 10' Cord 60 Watt Medium Base Rattan Shade

LARRSON

- Sconces are ADA Compliant
- Extra 12" Downrods: Part# 543-DOWNROD-(FINISH)

FINISHES



Brushed Polished Nickel


Satin Brass

Scan for more info



54316-FB NEW

16 Light Chandelier W 48" H 36.61" 6' Chain, 9' Cord 40 Watt Candelabra



54318-SB NEW 18 Light Chandelier

W 36" H 38" 6' Chain, 10' Cord 40 Watt Candelabra



54312-BNK NEW 12 Light Chandelier W 28.5" H 24"

6' Chain, 10' Cord 60 Watt Candelabra



INDOOR LIGHTING COLLECTIONS

54328-BNK

8 Light Chandelier W 20.12" H 23.75" 6' Chain, 10' Cord 60 Watt Candelabra



54392-FB

2 Light Mini Pendant W 5.62" H 7.88" 2 x 12" & 2 x 6" Rods 6' Cord 60 Watt Candelabra



54378-FB

8 Light Island L 38.13 W 4.75" H 8.85" 4 x 12" & 4 x 6" Rods 6' Cord 60 Watt Candelabra



54326-SB

6 Light Chandelier W 17.75" H 21.12" 6' Chain, 10' Cord 60 Watt Candelabra



54356-BNK 6 Light Semi Flush W 17.75" H 16.13" 60 Watt Candelabra



54362-SB

54361-BNK 1 Light Wall Sconce W 4.5" H 11" E 3.25" 60 Watt Candelabra



2 Light Wall Sconce W 4.62" H 11" E 3" 60 Watt Candelabra




54314-FB NEW 14 Light Chandelier W 36" H 33.5" 6' Chain, 10' Cord 60 Watt Candelabra



DUKE new

- $\cdot \operatorname{Beige}\operatorname{Linen}\operatorname{Drum}\operatorname{Shade}$
- White Diffuser

FINISHES



Brushed

Scan for more info



56594-BNK

3 Light 24" Pendant W 24" H 25.13" 6' Chain, 12.5' Cord 60 Watt Medium Base Beige Fabric Shade DIA 24"



TRANQUIL

• 6' Chain and 8' Cord for Adjustable Height





Scan for more info



<complex-block>

55425-FB 5 Light Chandelier L 17.88" W 16.5" H 33.5" 6' Chain, 8' Cord 60 Watt Medium Base



55410-FB

10 Light Chandelier L 25.75" W 25.25" H 43.25" 6' Chain, 8' Cord 60 Watt Medium Base




PENDANTS

FINISHES



Scan for more info







Medium Base

P980FB4 NEW Vesi 4 Light Pendant w/Chain W 18" H 27" 6' Chain, 12.5' Cord **Clear Textured Glass** 60 Watt Candelabra



60 Watt MediumBase

> P981SB5 NEW Vesi 5 Light Pendant w/Chain W 26" H 32" 6' Chain, 12.5' Cord **Clear Textured Glass** 60 Watt Candelabra







P975CH3 NEW Jackson 3 Light Pendant w/Chain W 13.63" H 17.5" 6' Chain, 9' Cord **Clear Glass** DIA 13.63" 60 Watt Medium Base



56593-BNK NEW

Duke 3 Light Pendant w/Chain W 18.13" H 19" 6' Chain, 12.5' Cord Beige Linen Shade DIA 18.13" 60 Watt Medium Base



47891-MBK-LED

Dolby LED Adjustable Rings Pendant w/Cable W 13.75" H 16.5" 8' Cable 32 Watt LED 1444 Lumens



P E N D A N T S

56594-FB NEW

Duke 3 Light Pendant w/Chain W 24" H 25.13" 6' Chain, 12.5' Cord Beige Linen Shade DIA 24" 60 Watt Medium Base

55192-BNK-LED

W 14" H 13.25"

Clear Seeded Glass

8' Cord

DIA 14"

15 Watt LED

900 Lumens

Centric Pendant w/Cord





55190-BNK-LED Centric Pendant w/Cord W 7.38" H 13.25" 8' Cord Clear Seeded Glass DIA 7.38" 6 Watt LED 300 Lumens



3000K, 90 CRI, Dimmable

55191-SB-LED

Centric Pendant w/Cord W 10" H 13.25" 8' Cord Clear Seeded Glass DIA 10" 10 Watt LED 600 Lumens




3000K, 90 CRI, Dimmable

LED FLUSHMOUNTS

- · X9007-W-LED available in 4000K (Model #: X9007-W-LED-4K)
- · All LED Items: 3000K, 90 CRI, Dimmable
- · Recessed Retrofit Conversion Kits Available:
- RK-1 (X9006 & X9206), RK-2 (X9007, X9207 & X9209)

FINISHES





Polished Nickel

Brushed Satin Nickel



Flat Black

Oiled Bronze

Scan for more info





WENTWORTH NEW

- \cdot White Frosted Glass Shade
- On/Off Toggle Switch on Back Plate
- 6' Plug in Cord

Scan for more info





Flat Black/Sunset Gold

57861P-FBSNG Swing Arm Wall Sconce W 7.28" H 13.38" E 11.5" DIA 6.5" 60 Watt Medium Base



RIVE NEW

- White Frosted Glass Shade
- On/Off Toggle Switch on Back Plate
- 6' Plug in Cord

Scan for more info





56761P-FB Swing Arm Wall Sconce W 6.5" H 10.88" E 11" DIA 6.5" 40 Watt Medium Base





PALMER NEW

Swing Arm Sconce features on/off switch on Backplate

• White Opal Glass Shade

57461-BNK

1 Light Wall Sconce W 5.51" H 17.52" E 7" DIA 5.5" 60 Watt Candelabra



57402-BNK

57403-BNK

2 Light Vanity W 14.25" H 14.09" E 7.59" DIA 5.5" 60 Watt Candelabra



Scan for more info



Brushed Polished Nickel

57461SA-BNK 1 Light Swing Arm Wall Sconce W 5.51" H 17.71" E 12" DIA 5.5" 60 Watt Candelabra



57425-BNK

5 Light Mini Chandelier W 20.98" H 18.11" DIA 5.5" 6' Chain, 10' Cord 60 Watt Candelabra



LANGSTON NEW

• White Frosted Glass

· LED Color Temp 3000K (Dimmable), CRI 90

Scan for more info





Brushed Polished Nickel

14318BNK-LED

LED Vanity W 17.99" H 4.52" E 4.5" 15 Watt LED 500 Lumens



3 Light Vanity W 22.99" H 14.09" E 7.59" DIA 5.5" 60 Watt Candelabra

57404-BNK 4 Light Vanity W 31.73" H 14.09" E 7.59" DIA 5.5" 60 Watt Candelabra





14336BNK-LED LED Vanity W 36.02" H 4.52" E 4.5" 35 Watt LED 1200 Lumens

GRACLYN NEW

Scan for more info



57761-SB 1 Light Wall Sconce W 4.49" H 15.94" E 6.5" 60 Watt Candelabra





PORTRAIT

Scan for more info



44961-ESP 1 Light Wall Sconce W 8" H 10" E 3.63" 60 Watt Candelabra









Clear Seeded Glass

· LED Color Temp 3000K (Dimmable), CRI 90

Scan for more info







LED 3 Light Vanity W 20.86" H 5" E 3.93" 21 Watt LED 750 Lumens



Polished Nickel

Satin Brass 15905BNK-LED LED Wall Sconce W 5" H 5" E 3.93" 7 Watt LED 250 Lumens



15913SB-LED

LED 2 Light Vanity W12.99" H 5" E 3.93" 14 Watt LED 500 Lumens





15929SB-LED LED 4 Light Vanity W 28.93" H 5" E 3.93" 28 Watt LED 1000 Lumens



HARMONY

- Vertical or Horizontal Installation
- Clear Artisan Glass
- · LED Color Temp 3000K (Dimmable), CRI 90

Scan for more info







11912FBPLN-LED

LED Wall Sconce W11.5" H 6.75" E 4.33" 10 Watt LED 459 Lumens



11924FBSB-LED

Flat Black/

Satin Brass

LED Vanity W 24" H 5" E 4.33" 21.7 Watt LED 1129 Lumens



BRETTON NEW . White Frosted Glass

Scan for more info



12920PLN3 3 Light Vanity W 20.25" H 8" E 6" 60 Watt Medium Base





Satin Brass

L

12912SB2

12905SB1

1 Light Wall Sconce W 4.75" H 8" E 6" 60 Watt Medium Base

2 Light Vanity W 12.4" H 8" E 6" 60 Watt Medium Base



12928SB4 4 Light Vanity W 28.13" H 8" E 6" 60 Watt Medium Base



CHATHAM NEW

 \cdot White Linen Drum Shade

Scan for more info



Satin Brass

16023SB3 3 Light Vanity W 23.03" H 11.02" E 6" 40 Watt Candelabra





1 Light Wall Sconce W 4.52" H 11.02" E 6" 40 Watt Candelabra



16014SB2 2 Light Vanity W 13.77" H 11.02" E 6" 40 Watt Candelabra



16032SB4 4 Light Vanity W 32.28" H 11.02" E 6" 40 Watt Candelabra



BOLDEN

Clear Seeded or White Frosted Glass

· Add "-WG" to end of Model Number when Ordering White Frosted Glass

Scan for more info

50503-BNK-WG

60 Watt Medium Base

3 Light Vanity W18" H 8.5" E 6.5" White Frosted Glass









STO.

Flat

Black

d'a

Satin

Brass

50501-BNK

1 Light Wall Sconce W 5" H 8.5" E 6.5" Clear Seeded Glass 60 Watt Medium Base



50502-FB

2 Light Vanity W11" H 8.5" E 6.5" Clear Seeded Glass 60 Watt Medium Base



50504-SB 4 Light Vanity W 25.13" H 8.5" E 6.5" Clear Seeded Glass 60 Watt Medium Base



HENNING NEW

• Clear Glass

Scan for more info







12724SB3 3 Light Vanity W 24.01" H 9.29" E 7" 60 Watt Medium Base







12716PLN2 2 Light Vanity W15.74" H 9.29" E 7" 60 Watt Medium Base



12730FB4 4 Light Vanity W 30.03" H 9.29" E 7" 60 Watt Medium Base







19642FB5 5 Light Vanity W 42" H 8.5" E 7.88" 60 Watt Medium Base



19624BNK3 3 Light Vanity W 24" H 8.5" E 7.88" 60 Watt Medium Base



19633FB4 4 Light Vanity W 33" H 8.5" E 7.88" 60 Watt Medium Base



19606BNK1 1 Light Wall Sconce W 5.5" H 8.5" E 6.75" 60 Watt Medium Base



Scan for more info



DRAKE

Clear Seeded Glass



Brushed Polished Nickel

FINISHES



ridge

Can be Installed Vertically or Horizontally

 $\boldsymbol{\cdot} \operatorname{Clear} \operatorname{Ribbed} \operatorname{Glass}$

Superior UV Protection Against Fading - Finish Guaranteed for 5 Years

Scan for more info



ZA4510-SA 2 Light Wall Mount W 4.5" H 24" E 4.5" Backplate W 4.5" H 4.5" 60 Watt Medium Base



ZA4500-MN 2 Light Wall Mount W 4.5" H 18" E 4.5" Packelata

Satin Aluminum

Backplate W 4.5" H 4.5" 60 Watt Medium Base



RENS

- \cdot LED Color Temp 3000K, 90 CRI, Dimmable
- \cdot Superior UV Protection Against Fading Finish Guaranteed for 5 Years
- Title 24 Compliant
- Scan for more info



ZA2620-MN-LED

W 4.75" H 24" E 2.88"

LED Wall Mount

W 4.75" H 4.75"

Backplate


40 Watt LED

2000 Lumens



Midnight

Brushed Aluminum




LED Wall Mount W 4.75" H 16" E 2.88" Backplate W 4.75" H 4.75" 20 Watt LED 1000 Lumens



ZA2610-BAO-LED LED Wall Mount W 4.75" H 19.65" E 2.88" Backplate

W 4.75" H 4.75" 30 Watt LED 1500 Lumens





ARIA

- · LED Color Temp 3000K, 90 CRI, Dimmable
- Superior UV Protection Against Fading Finish Guaranteed for 5 Years
- Title 24 Compliant

Scan for more info





Satin Aluminum



Textured Matte Black

Z1624-TB-LED

LED Wall Mount W 6.5" H 23" E 4" Backplate W 5.5" H 5.5" Oxygen Infused K-9 Crystal 12 Watt LED 950 Lumens



Satin Aluminum

Z1604-SA-LED LED Wall Mount W 5.5" H 14.5" E 3" Backplate W 5.5" H 5.5" Oxygen Infused K-9 Crystal 12 Watt LED 950 Lumens



Z1614-TB-LED LED Wall Mount

W 5.5" H 19.5" E 3.5" Backplate W 5.5" H 5.5" Oxygen Infused K-9 Crystal 12 Watt LED 950 Lumens



MIDTOWN NEW

- · LED Color Temp 3000K, 90 CRI, Dimmable
- Superior UV Protection Against Fading Finish Guaranteed for 5 Years
- Title 24 Compliant

Scan for more info





ZA5122-MN-LED

Three Tier Large LED Wall Sconce W 8.5" H 11" E 5" Backplate W 5.7" H 10.63" 20 Watt LED 1000 Lumens



Midnight

ZA5102-SA-LED

Two Tier Small LED Wall Sconce W 5.9" H 10.91" E 3.57" Backplate W 5.51" H 7.48" 10 Watt LED 500 Lumens



ZA5112-MN-LED

Three Tier Medium LED Wall Sconce W 6.62" H 8.63" E 4" Backplate W 4.33" H 5.9" 15 Watt LED 750 Lumens



PILLAR

· LED Color Temp 3000K, 90 CRI, Dimmable

Title 24 Compliant

Scan for more info





Textured Matte Black



ZA2124-TB-LED LED Wall Mount W 4.5" H 7.88" E 7" Backplate W 4.5" H 4.5" 10 Watt LED 502 Lumens



SABRE

- \cdot Must be Installed Upright as Shown
- · LED Color Temp 3000K, 90 CRI, Dimmable Accent Down Light
- Superior UV Protection Against Fading Finish Guaranteed for 5 Years

Scan for more info





ZA3900-MN-LED Wall Mount W 5.5" H 16.88" E 5.75" Backplate W 5.5" H 11.8" Clear Seeded Glass 60 Watt Medium Base 5 Watt LED Accent 240 Lumens



Satin Aluminum

ZA3910-SA-LED

Wall Mount W 5.5" H 20" E 6.88" Backplate W 5.5" H 13.75" Clear Seeded Glass 60 Watt Medium Base 5 Watt LED Accent 240 Lumens




BRISCOE NEW

- Superior UV Protection Against Fading Finish Guaranteed for 5 Years
- Extra 12" Downrods: Part# RP-9203-MN

Scan for more info



Midnight







ZA5701-MN Pendant W 14.96" H 9.44" 2 × 12" & 2 × 6" Rods 6' Wire 60 Watt Medium Base

ZA5704-MN



ZA5714-MN Medium Wall Mount W 17.91" H 15.35" E 24.25" Backplate DIA 6.5" 60 Watt Medium Base



POINT CLEAR NEW

 \cdot Superior UV Protection Against Fading - Finish Guaranteed for 5 Years

Scan for more info





ZA5024-MN

Large Wall Mount W 11" H 15.5" E 11.75" Backplate DIA 5.03" 60 Watt Medium Base

ZA5004-MN

Small Wall Mount W 6.88" H 10.38" E 8.25" Backplate DIA 5.03" 60 Watt Medium Base

ZA5014-MN Medium Wall Mount W 9" H 13" E 9.75" Backplate DIA 5.03" 60 Watt Medium Base



$\forall A \cup L \top$ New

- · LED Color Temp 3000K, 90 CRI, Dimmable
- Frosted Glass
- Superior UV Protection Against Fading Finish Guaranteed for 5 Years
- Title 24 Compliant

FINISHES



Midnight



Aged Bronze Brushed





ZA5804-MN-LED LED Small Wall Mount W 5.75" H 12" E 4" Backplate W 5.75" H 12" 10 Watt LED 500 Lumens



ZA5814-ABZ-LED

LED Large Wall Mount W 6.5" H 15" E 4" Backplate W 6.5" H 15" 10 Watt LED 500 Lumens






LED MIRRORS

- Dimmable
- Defogger Function Included
- Decorative Faux Leather Strap with Buckle and Hook Hardware Included for MIR105-FB

FINISHES



Scan for more info





MIR102-W Square LED Mirror Adjustable LED Color Temp 3000K/4000K/5000K W 30" H 30" E 1.9" 29 Watt LED 696 Lumens



MIR101-W Oval LED Mirror Adjustable LED Color Temp 3000K/4000K/5000K W 24" H 30" E 1.8" 32 Watt LED 950 Lumens

MIR105-FB

Round LED Mirror 3000K LED Color Temp W 30" H 30" E 1.8" 35 Watt LED 970 Lumens




MIR106-W Rectangular LED Mirror 3000K Color Temp W 24" H 30" E 1.4" 39 Watt LED 1080 Lumens



MIR104-W

Rectangular LED Mirror Adjustable LED Color Temp 3000K/4000K/5000K W 60" H 32" E 1.8" 44 Watt LED 1050 Lumens







CEILING FANS

Indoor/Outdoor Ceiling Fans	48
Indoor Ceiling Fans	70
Fan Accessories, Adapters & Downrods	116
Controls	118

CEILING FAN HANGING OPTIONS

Slope Range = 23°



TRI-MOUNT 3 Mounting Options Close-Mount, Vaulted Ceiling, Normal Ceiling



DUAL MOUNT 2 Mounting Options Normal and Vaulted Ceilings



DOWNROD MOUNT 1 Mounting Option Normal Ceiling



FLUSHMOUNT

1 Mounting Option Normal Ceiling

ICONS



Direct Current Motor



Remote Control Included



LED Lighting

UNIPACK

Blades Included



Damp Rated



Suitable for Wet Locations



Wet Rated



Suitable for Damp Locations



UL Listed in United States



Energy Star



UL Certified



WIFI



JA8, Title 24 Compliant



Bond Enabled



Hardwire Compatible



Scan QR Code

HOW CRAFTMADE SMART ENABLED WIFI CEILING FANS WORK:

BEFORE ORDERING, LOOK FOR THE 💮 ICON THROUGHOUT THE CATALOG FOR SMART ENABLED CEILING FANS



Install your Smart Enabled WiFi ceiling fan



Download the Bond App

APP ONLY FEATURES:

Enhanced comfort with Breeze feature



- Control from anywhere with your smartphone and the Bond Home app
- · Customize a timed schedule or dusk to dawn
- Voice-activated with a smart speaker

Connect to the your WiFI network



Control your fan or lights in many different ways







iOS & Android App

Amazon Alexa


Google Home

PROST 78"

- Two options Included to control fan: WIDC handheld and wall control or Smart by Bond WIFI enabled to use with smart phone and devices
- Integrated Dimmable 20W LED Light Kit with optional lens cover Included
- Custom Aluminum Blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Damp rated for indoor/outdoor covered use
- 12" Downrod Included
- Downrod Mount (Flat Ceiling) unless SMA180 slope adapter is used; Slope Mount with SMA180XXX adapter only - Sold Separately
- Optional stabilizing guide wire cables and mounting hardwire Included for use in high wind outdoor applications
- \cdot Blades must be mounted at least 7' above the floor for safety
- Energy Guide Airflow 9087 CFM; Airflow at High Speed 15412 CFM

FINISH AND BLADE PAIRINGS






PROST 102"

- Two options Included to control fan: WIDC handheld and wall control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Integrated Dimmable 20W LED Light Kit with
 optional lens cover Included
- Custom Aluminum Blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Damp rated for indoor/outdoor covered use
- •12" Downrod Included
- Downrod Mount (Flat Ceiling) unless SMA180 slope adapter is used; Slope Mount with SMA180XXX adapter only - Sold Separately
- Optional stabilizing guide wire cables and mounting hardwire Included for use in high wind outdoor applications
- Blades must be mounted at least 10' above floor for safety
- Airflow at High Speed 18943 CFM, CFEI (Ceiling Fan Efficiency Index) 15.13



FINISH AND BLADE PAIRINGS




PROST 120"

- Two options Included to control fan:
 WIDC handheld and wall control or Smart by Bond
 WIFI enabled to use with most smart phone and devices
- Included Integrated Dimmable 20W LED Light Kit with
 optional lens cover Included
- Custom Aluminum Blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Damp rated for indoor/outdoor covered use
- •12" Downrod Included
- Downrod Mount (Flat Ceiling) unless SMA180 slope adapter is used; Slope Mount with SMA180XXX adapter only - sold separately
- Optional stabilizing guide wire cables and mounting hardwire
 Included for use in high wind outdoor applications
- · Blades must be mounted at least 10' above the floor for safety
- Airflow at High Speed 22241 CFM, CFEI (Ceiling Fan Efficiency Index) 13.25

FINISH AND BLADE PAIRINGS






PHOEBE 60" NEW FINISH

- Two options Included to control fan:
 WIDC Handheld Control or Smart by Bond
 WIFI enabled to use with most smart phone and devices
- Integrated Dimmable 12W LED Light Kit with
 optional lens cover Included
- Set of 3 custom ABS blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Damp rated for indoor/outdoor covered use
- Dual Mount (Flat or Angled Ceiling up to 23° slope)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately
- 6" Downrod Included
- Energy Guide Airflow 2831 CFM; Airflow at High Speed 4273 CFM






ENVY 60" New Finish

- Heavy Duty 6-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Solid Wood Envy 60" Blades Included
- Optional 18 Watt LED Light Source (Dimmable) Included
- $\cdot \, {\sf Optional \, Lens \, Cover \, Included}$
- \cdot 75% Transmittance Acrylic Lens
- WIDC Remote Control Included
- \cdot WIFI Enabled for Optional Easy Fan Control from
- Almost any Smart Device
- \cdot Suitable for Damp Locations
- Energy Guide Airflow 5189 CFM, Airflow at High Speed 7535 CFM

FINISH AND BLADE PAIRINGS





INDOOR/OUTDOOR CEILING FANS


ENVY 72" New Finish

- Heavy Duty 6-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Solid Wood Envy 72" Blades Included
- Optional 18 Watt LED Light Source (Dimmable) Included
- Optional Lens Cover Included
- •75% Transmittance Acrylic Lens
- WIDC Remote Control Included
- \cdot WIFI Enabled for Optional Easy Fan Control from

Almost any Smart Device

- \cdot Suitable for Damp Locations
- Energy Guide Airflow 6382 CFM, Airflow at High Speed 8411 CFM






ENVY 84" new finish

- Heavy Duty 6-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Solid Wood Envy 84" Blades Included
- Optional 18 Watt LED Light Source (Dimmable) Included
- $\cdot \, {\sf Optional \, Lens \, Cover \, Included}$
- \cdot 75% Transmittance Acrylic Lens
- WIDC Remote Control Included
- WIFI Enabled for Optional Easy Fan Control from
- Almost any Smart Device
- \cdot Suitable for Damp Locations
- \cdot Energy Guide Airflow 7394 CFM, Airflow at High Speed 9209 CFM

FINISH AND BLADE PAIRINGS





DELANEY 60"

Two options Included to control fan:

FINISH AND BLADE PAIRINGS


- Espresso Mesquite
- Integrated Dimmable 18W LED Light Kit with
 optional lens cover Included

WIDC Handheld Control or Smart by Bond

- Set of 3 custom ABS blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Wet rated for indoor/outdoor use
- Dual Mount (Flat or Angled Ceiling up to 23° slope)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately

WIFI enabled to use with most smart phone and devices

- 6" Downrod Included
- \cdot Patent Pending
- Energy Guide Airflow 2996 CFM; Airflow at High Speed 4400 CFM






STERLING 60" NEW

- Two options included to control fan: WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Integrated Dimmable 12W LED Light Kit with
- optional lens cover Included
- Set of 3 custom ABS blades Included
- Energy Saving 6 Speed Reversible DC Motor
- \cdot Wet rated for indoor/outdoor use
- \cdot Dual Mount (Flat or Angled Ceiling up to 23° slope)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately
- 6" Downrod Included
- Energy Guide Airflow 3394 CFM; Airflow at High Speed 4990 CFM

FINISH AND BLADE PAIRINGS






PROPEL II 24"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Propel II Blades Included
- Integrated 12 Watt LED Light Source (Dimmable)
- $\cdot \, {\sf Hardwire} \, {\sf Switch} \, {\sf Compatible}$
- Optional Remote Control
- Flat Black and White Suitable for Damp Locations, BNK Indoor Only
- Energy Guide 984 CFM, High SPeed 1308 CFM








SEBASTION 52" NEW

- Two options Included to control fan: WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Integrated Light kit with 2 x 8.5W Dimmable LED Bulbs with Optional Lens Cover Included
- \cdot Custom ABS Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter -sold separately
- •6" Downrod Included
- Limited Lifetime Warranty
- Energy Guide 3018 CFM, High Speed 4346 CFM

FINISH AND BLADE PAIRINGS






WYATT 52"

- Two options Included to control fan: WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Integrated Dimmable 18W LED Light Kit with Optional Lens Cover Included
- Custom Reversible Blades Included
- Energy Saving 6-Speed Reversible DC Motor
- Damp Rated for Outdoor Covered Use
- Flushmount Installation Only
- JA8/Title 24 Compliant
- · Limited Lifetime Warranty
- Energy Guide 3188 CFM, High Speed 4943 CFM





Greywood



VENTURA 52"

- Energy-Saving, 6-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Ventura Blades Included
- Integrated 19 Watt LED Light Source (Dimmable)
- IDC Remote & Wall Controls Included
- \cdot Suitable for Damp Locations
- Energy Guide 3308 CFM, High Speed 5010 CFM

FINISH AND BLADE PAIRINGS









BELLOWS DUO 50"

- Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 4.5" Downrod Included
- 80° Tilt Feature on Both Motor Head Units
- Custom Bellows Blades Included
- Optional LED Light Kit Included (Dimmable)
- •1 x 17W LED Disk Bulb Included
- •95% Transmittance Acrylic Lens
- Optional Lens Cover Included
- Bellows Remote & Wall Controls Included
- \cdot Suitable for Damp Locations
- BNK Finish Indoor Only
- Energy Guide 2362 CFM, High Speed 2976 CFM





Scan for more info







63

COLE 52"

- Standard, 3-Speed Reversible Motor
- Flushmount Installation Only
- Custom Cole Blades Included
- Optional Acrylic Lens Lighting (Dimmable) Included
- •1 x 18 Watt LED Disk Bulb Included
- \cdot Optional Lens Cover Included
- UCI 2000-2 Remote and Wall Controls Included
- \cdot Suitable for Damp Locations
- Energy Guide 2515 CFM, High Speed 3278 CFM

FINISH AND BLADE PAIRINGS



Scan for more info



Painted Nickel CLE52PN3

Reversible **Brushed Nickel**+ Driftwood Blades



Painted Nickel CLE52PN3 Reversible Brushed Nickel+ Driftwood Blades



Flat Black **CLE52FB3**

White

CLE52W3

Reversible White+

Washed Oak Blades

Reversible **Flat Black+** Greywood Blades



Flat Black CLE52FB3 Reversible Flat Black+ Greywood Blades



White CLE52W3

Reversible **White**+ Washed Oak Blades



COLE II 44"

FINISH AND BLADE PAIRINGS

- Standard, 3-Speed Reversible Motor
- Flushmount Installation Only
- Custom Cole Blades Included
- Optional Acrylic Lens Lighting (Dimmable) Included
- •1 x 18 Watt LED Disk Bulb Included
- Optional Lens Cover Included
- UCI 2000-2 Remote and Wall Controls Included
- \cdot Suitable for Damp Locations
- Energy Guide 2021 CFM, High Speed 2592 CFM



Scan for more info



Painted Nickel CLE44PN3

Reversible **Brushed Nickel**+ Driftwood Blades



Painted Nickel CLE44PN3 Reversible Brushed Nickel+ Driftwood Blades



Flat Black CLE44FB3 Reversible Flat Black+ Greywood Blades



White CLE44W3

Flat Black

CLE44FB3

Reversible Flat Black+

Greywood Blades

Reversible White+ Washed Oak Blades



White CLE44W3


Reversible **White**+ Washed Oak Blades




OUTDOOR PRO PLUS 52"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- •6" Downrod Included
- Custom ABS Blades Included
- Light Kit Optional Sold Separately
- $\cdot \, {\sf Wall} \, {\sf Control} \, {\sf Adaptable}$
- \cdot Suitable for Wet Locations
- Energy Guide 3861 CFM, High Speed 5260 CFM

FINISH AND BLADE PAIRINGS













OUTDOOR PRO PLUS 52" 104

FINISH AND BLADE PAIRINGS

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- •6" Downrod Included
- Custom ABS Blades Included
- Integrated Clear Lighting
- 3 x 7W Non-Dimmable LED Medium Base Bulbs Included
- \cdot Wall Control Adaptable
- \cdot Suitable for Wet Locations
- Energy Guide 3850 CFM, High Speed 5262 CFM






OUTDOOR SUPER PRO 60"

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom ABS Blades Included
- \cdot Light Kit Optional Sold Separately
- \cdot Remote Control Adaptable
- \cdot Suitable for Wet Locations
- Energy Guide 4758 CFM, High Speed 6976 CFM

FINISH AND BLADE PAIRINGS












OUTDOOR SUPER PRO 60" 104

FINISH AND BLADE PAIRINGS

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- •6" Downrod Included
- Custom ABS Blades Included
- Integrated Clear Lighting
- 4 x 7W Non-Dimmable LED Medium Base Bulbs Included
- Remote Control Adaptable
- Suitable for Wet Locations
- Energy Guide 4661 CFM, High Speed 6692 CFM





GREGORY 56" NEW

- Two options included to control fan: Included WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Integrated Dimmable 18W LED White Light Kit with optional lens cover Included
- Energy Saving 6 Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling up to 23°)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter - sold separately
- •6" Downrod Included
- JA8/Title 24 Compliant
- Limited Lifetime Warranty
- Energy Guide 2944 CFM, High Speed 4395 CFM

FINISH AND BLADE PAIRINGS







Flat Black/ Greywood

Satin Brass/ Flat Black

Flat Black/ Black Walnut






DOMINICK 52" NEW

FINISH AND BLADE PAIRINGS

- Two options included to control fan: Included WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Integrated Light Kit with Diffuser and 3 x 8.5W Dimmable LED Bulbs Included
- Custom Reversible Blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling up to 23°)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately
- 6" Downrod Included
- Limited Lifetime Warranty
- Energy Guide 3011 CFM, High Speed 4493 CFM










DAYBREAK 52" NEW

- Two options Included to control fan: Included WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Included Integrated Dimmable 18W LED Light Kit
- Set of 3 reversible custom blades Included
- \cdot Energy Saving 6 Speed Reversible DC Motor
- Flush Mount Only
- \cdot Energy Guide Airflow 3140 CFM; Airflow at High Speed 4735 CFM

FINISH AND BLADE PAIRINGS





BORDEAUX 52"

- Heavy-Duty, 3-Speed Reversible Motor
- Tri Mount System, Standard with both Semi-Flush and Ball Hanger Mounting Systems for Flat or Angled Ceilings
- 6" Downrod Included
- Limited Lifetime Warranty
- \cdot Custom Polycarbonate Bordeaux Blades Included
- Integrated 17 Watt LED Light Source (Dimmable)
- Optional Lens Cover Included
- Hard-Wired Fan Control Included 4 Speed Fan Control and Full Range Dimmer or Request with UCI-2000 Remote or Wall Control
- \cdot Energy Guide 3942 CFM, High Speed 5426 CFM





Scan for more info



Polished Nickel BRD52PLN3 Clear Acrylic Blades





Satin Brass BRD52SB3 Clear Acrylic Blades






TEANA 52" NEW FINISH

- Standard, 3-Speed Reversible Motor
- Tri-Mount System, Standard with both Semi-Flushmount and Ball Hanger Mounting Systems for Flat or Angled Ceilings
- •6" Downrod Included
- Custom Teana Blades Included
- Integrated 22 Watt LED Light Source (Dimmable)
- Optional Lens Cover Included
- $\cdot\,4$ Speed Wall Control with Slide Control Light Dimmer
- Energy Guide 2852 CFM, High Speed 3737 CFM

FINISH AND BLADE PAIRINGS



Scan for more info


TEA52BNK4

Walnut Blades

Reversible Brushed Nickel+



14



SONNET WIFI 52" NEW

- Two options Included to control fan WIDC Handheld Control or Smart by Bond
- WIFI enabled to use with most smart phone and devices
- Included Integrated Dimmable 18W LED Light Kit
 with optional lens cover Included
- \cdot Set of 3 Custom Polycarbonate blades Included
- \cdot Energy Saving 6 Speed Reversible DC Motor
- \cdot Dual Mount (Flat or Angled Ceiling up to 23° slope)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately
- Energy Guide Airflow 3926 CFM, Airflow at High Speed 5977 CFM

FINISH AND BLADE PAIRINGS





SONNET WIFI 60" NEW

- Two options Included to control fan:
 WIDC Handheld Control or Smart by Bond
 WIFI enabled to use with most smart phone and devices
- Included Integrated Dimmable 18W LED Light Kit with optional lens cover Included
- Set of 3 Custom Polycarbonate blades Included
- Energy Saving 6 Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling up to 23° slope)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately
- Energy Guide Airflow 4932 CFM; Airflow at High Speed 7370 CFM









PROVISION 52"

- Two options included to control fan: Included WIDC Handheld Control or Smart by Bond WIFI enabled to use with most smart phone and devices
- Energy Saving 6 Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling up to 23° slope)
- For slope greater than 23° use Craftmade #SMA180XXX slope adapter sold separately
- 6" Downrod Included
- \cdot Set of 3 Custom Provision Blades Included
- \cdot Energy Guide Airflow 2339 CFM; Airflow at High Speed 3563 CFM

FINISH AND BLADE PAIRINGS



Scan for more info



Flat Black PRV52FB3 Flat Black Blades



TERIE 52"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Integrated 16 Watt Dimmable LED Light Kit
- Custom Reversible Terie Blades Included
- \cdot Energy Guide 3404 CFM, High Speed 4573 CFM

FINISH AND BLADE PAIRINGS

Polished Nickel

Brushed

Flat Black

White

Brushed Nickel


+ Walnut

Flat Black +

Greywood

White +

Weathered Oak




CONNERY 48"

- Standard, 3-Speed Reversible Motor
- Downrod Mount Only
- •6" Downrod Included
- Custom Connery Blades Included
- Integrated 16W LED Light Source (Dimmable)
- Hardwire Switch Compatible
- Universal Control Adaptable (UCI-2000-2) (Optional)
- Energy Guide 3466 CFM, High Speed 4595 CFM

FINISH AND BLADE PAIRINGS






KEEN 48" NEW

- Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- \cdot Custom Reversible Keen Wood Blades Included
- Integrated 18 Watt LED Light Source (Dimmable)
- $\cdot\,\text{New}\,95\%$ Transmittance Acrylic Lens
- \cdot Optional Lens Cover Included
- \cdot UCI Reverse Remote Control and Wall Controls Included
- Energy Guide 2599 CFM, High Speed 3313 CFM

FINISH AND BLADE PAIRINGS






TEMPO HUGGER 44"

- Standard, 3-Speed Reversible Motor
- Flushmount Installation Only
- \cdot Custom Tempo Blades Included
- Integrated 16 Watt LED Light Source (Dimmable)
- Optional Lens Cover Included
- ICS Remote & Wall Controls Included
- Energy Guide 2910 CFM, High Speed 3843 CFM

FINISH AND BLADE PAIRINGS





TEMPO HUGGER 52"

- Heavy-Duty, 3-Speed Reversible Motor
- Flushmount Installation Only
- Custom Tempo Blades Included
- Integrated Light Kit with 16 Watt LED Light Source (Dimmable)
- Optional Lens Cover Included
- · ICS Remote & Wall Controls Included
- Energy Guide 3862 CFM, High Speed 5637 CFM





LAVAL 44"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Laval Blades Included
- Integrated 14 Watt LED Light Source (Dimmable)
- \cdot New 95% Transmittance Polycarbonate Lens
- $\cdot\,\mathsf{Hardwire}\,\mathsf{Switch}\,\mathsf{Compatible}$
- \cdot Remote Control Optional
- Energy Guide 2947 CFM, High Speed 4279 CFM

FINISH AND BLADE PAIRINGS



Scan for more info





Matte White LAV44MWW4LK-LED Matte White Blades





- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- •6" Downrod Included
- Custom Laval Blades Included
- Integrated 14 Watt LED Light Source (Dimmable)
- New 95% Transmittance Polycarbonate Lens
- Hardwire Switch Compatible
- Remote Control Optional
- Energy Guide 3862 CFM, High Speed 5494 CFM





Scan for more info







White LAV52MWW4LK-LED White Blades

TARGAS 52"

FINISH AND BLADE PAIRINGS

- · Standard, 4-Speed Reversible Motor
- Tri-Mount System, Standard with Both Semi-Flushmount and Ball Hanger Mounting Systems for Flat or Angled Ceilings
- •6" Downrod Included
- Custom Targas Blades Included
- Integrated 22 Watt LED Light Source (Dimmable)
- New 95% Transmittance Polycarbonate Lens
- Optional Lens Cover Included
- Hard-Wired Dual Wall Control Included 4 Speed Fan Control and Full Range Dimmer or Request with UCI-2000 Remote or Wall Control
- Energy Guide 1805 CFM, High Speed 4149 CFM



Espresso TG52ESP3

Espresso

TG52ESP3

Teak Blades

Reversible Mahogany+

Reversible Mahoganhy+ Teak Blades

Scan for more info





Brushed Polished Nickel TG52BNK3 Reversible Walnut+


Dark Oak Blades



Brushed Polished Nickel TG52BNK3

Dark Oak Blades









INSPO 54"

FINISH AND BLADE PAIRINGS

- Heavy-Duty, 3-Speed Reversible Motor
- · Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom ABS Inspo Blades Included
- Not Light Kit Adaptable
- Hard Wired, 4 Speed Wall Control Included
- Energy Guide 4342 CFM, High Speed 6648 CFM







MONDO 54"

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Aluminum Mondo Blades Included
- Light Kit Optional (Sold Separately)
- · IDC Remote & Wall Controls Included
- Flat Black Suitable for Damp Locations, BNK Indoor Only
- Energy Guide 3857 CFM, High Speed 6000 CFM

FINISH AND BLADE PAIRINGS



Scan for more info



Brushed Polished Nickel MND54BNK3

Brushed Nickel Blades





MONDO 72"

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Aluminum Mondo Blades Included
- Light Kit Optional (Sold Separately)
- · IDC Remote & Wall Controls Included
- Flat Black and Espresso Suitable for Damp Locations, BNK Indoor Only
- Energy Guide 5606 CFM, High Speed 7467 CFM









UTILITY 56"

- Heavy-Duty, 4-Speed Motor
- Downrod Mount Only
- •12" Downrod Included
- Custom Utility Blades Included
- 4 Speed Wall Control Included
- Energy Guide 2985 CFM, High Speed 4308 CFM

FINISH AND BLADE PAIRINGS



Scan for more info





Titanium/Brushed Nickel UTSGTBNK3M Titanium Blades



PHAZE ENERGY STAR 3 52"

- · Energy Saving, 3-Speed Reversible DC Motor
- · Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Phaze Blades Included
- Integrated Light Kit with 2 x 8 Watt Non-Dimmable LED Medium Base Bulbs Included
- New 80% Transmittance Polycarbonate Lens
- Optional Lens Cover (Sold Separately PHA-40(Finish))
- Energy Guide 3708 CFM, High Speed 4758 CFM



FINISH AND BLADE PAIRINGS



Scan for more info

EPHA52BNK3





Brushed Polished Nickel EPHA52BNK3-BNGW

Reversible Brushed Nickel+ Greywood Blades





Flat Black EPHA52FB3 Reversible Flat Black+ Greywood Blades



White EPHA52W3 White Blades

Flat Black EPHA52FB3

Reversible Flat Black+ Greywood Blades



PHAZE ENERGY STAR 4 52"

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- •6" Downrod Included
- Custom Phaze Blades Included
- Integrated Light Kit with 2 x 8 Watt Non-Dimmable
 LED Medium Base Bulbs Included
- New 80% Transmittance Polycarbonate Lens
- Optional Lens Cover (Sold Separately PHA-40(Finish))
- Energy Guide 3664 CFM, High Speed 4649 CFM

FINISH AND BLADE PAIRINGS

















INDOOR CEILING FANS

PHAZE ENERGY STAR 5 52"

- · Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included

Scan for more info

EPHA52BNK5

Reversible Walnut+

Dark Oak Blades

- Custom Phaze Blades Included
- Integrated Light Kit with 2 x 8 Watt Non-Dimmable LED Medium Base Bulbs Included
- New 80% Transmittance Polycarbonate Lens
- Optional Lens Cover (Sold Separately PHA-40(Finish))
- Energy Guide 3614 CFM, High Speed 4644 CFM



FINISH AND BLADE PAIRINGS







Flat Black EPHA52FB5 Reversible Flat Black+ Greywood Blades





LED





PHAZE 3 52"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Phaze Blades Included
- Integrated Light Kit with 2 x 9 Watt LED Medium Base Bulbs Non-Dimmable Included
- New 95% Transmittance Acrylic Lens
- Optional Lens Cover (Sold Separately PHA-40(Finish))
- Hardwire Switch Compatible
- Remote & Wall Controls (Optional Sold Separately)
- Energy Guide 3088 CFM, High Speed 4047 CFM

FINISH AND BLADE PAIRINGS



Scan for more info



Brushed Polished Nickel

PHA52BNK3

Reversible **Walnut**+ Dark Oak Blades




Brushed Polished Nickel

PHA52BNK3

Reversible Walnut+ **Dark Oak** Blades







PHAZE 4 52"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 6" Downrod Included
- Custom Phaze Blades Included
- Integrated Light Kit with 2 x 9 Watt LED Medium Base Bulbs Non-Dimmable Included
- New 95% Transmittance Acrylic Lens
- Optional Lens Cover (Sold Separately PHA-40(Finish))
- Hardwire Switch Compatible
- Remote & Wall Controls (Optional Sold Separately)
- Energy Guide 3108 CFM, High Speed 4196 CFM

FINISH AND BLADE PAIRINGS








PHAZE 5 52"

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- •6" Downrod Included
- Custom Phaze Blades Included
- Integrated Light Kit with 2 x 9 Watt LED Medium Base
 Bulbs Non-Dimmable Included
- New 95% Transmittance Acrylic Lens
- Optional Lens Cover (Sold Separately PHA-40(Finish))
- Hardwire Switch Compatible
- Remote & Wall Controls (Optional Sold Separately)
- Energy Guide 2951 CFM, High Speed 3972 CFM

FINISH AND BLADE PAIRINGS







PRO PLUS 52" NEW FINISHES

FINISH AND BLADE PAIRINGS

- Standard, 3-Speed Reversible Motor
 Dual Mount (Flat or Angled Ceiling)
 4" Downrod Included
 - Custom Reversible Blades Included
 - · Light Kit Optional Sold Separately
 - Hardwire Switch Compatible
 - Universal Remote Control Optional Sold Separately
 - Energy Guide 3445 CFM, High Speed 4725 CFM







Brushed Polished Nickel

P52BNK5-52DWGWN

Reversible Driftwood+

Grey Walnut Blades


















Reversible **White**+Washed Oak Blades White/Satin Brass P52WSB5-52WWOK Reversible White+Washed Oak Blades

Flat Black/Satin Brass



P52FBSB5-52BWNFB Reversible Flat Black+Black Walnut Blades



White/Polished Nickel **P52WPLN5-52WWOK** Reversible White+**Washed Oak** Blades

PRO PLUS 101 52" NEW FINISHES CLEAR BOWL LIGHT

• Standard, 3-Speed Reversible Motor

- Dual Mount (Flat or Angled Ceiling)
- 4" Downrod Included
- Custom Reversible Blades Included
- \cdot Clear Glass Bowl Light Kit Included
- $\cdot\,2\,x\,7W$ Non-Dimmable LED Medium Base Bulbs Included
- Hardwire Switch Compatible
- Universal Remote Control Optional Sold Separately
- Energy Guide 3343 CFM, High Speed 4598 CFM

FINISH AND BLADE PAIRINGS



Scan for more info







Reversible Flat Black+

Greywood Blades





PRO PLUS 104 52" NEW FINISHES CLEAR 4-LIGHT

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 4" Downrod Included
- $\cdot \, {\rm Custom \, Reversible \, Blades \, Included}$
- Integrated Light Kit Included
- $\cdot\,4\,x\,7W$ Non-Dimmable LED Medium Base Bulbs Included
- Hardwire Switch Compatible
- Universal Remote Control Optional Sold Separately
- Energy Guide 3390 CFM, High Speed 4676 CFM

FINISH AND BLADE PAIRINGS



Scan for more info








Espresso







White/Polished Nickel **P104WPLN5-52WWOK**

Reversible **White**+Washed Oak Blades White/Polished Nickel P104WPLN5-52WWOK

Reversible White+**Washed Oak** Blades

PRO PLUS 112 52" SLIM LIGHT KIT

- Standard, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 4" Downrod Included
- $\cdot \, {\rm Custom \, Reversible \, Blades \, Included}$
- Integrated Light Kit Included
- \cdot 1 x 18W LED DIsk (Dimmable) Included
- Hardwire Switch Compatible
- · CM-7W-LED, Hard Wired, Wall Control Included
- Energy Guide 3082 CFM, High Speed 4662 CFM

FINISH AND BLADE PAIRINGS















SUPER PRO 60" NEW FINISHES

FINISH AND BLADE PAIRINGS

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 4" Downrod Included
- Custom Reversible Blades Included
- $\cdot \, {\sf Light} \, {\sf Kit} \, {\sf Optional} \, {\text{-}} \, {\sf Sold} \, {\sf Separately}$
- $\cdot \, {\sf Hardwire} \, {\sf Switch} \, {\sf Compatible}$
- \cdot Universal Remote Control Optional $\ -$ Sold Separately
- Energy Guide 4249 CFM, High Speed 6214 CFM















Flat Black S60FB5-60FBGW

Reversible Flat Black+ Greywood Blades



Satin Brass S60SB5-60BWNFB

Reversible **Black Walnut**+ Flat Black Blades



Satin Brass S60SB5-60BWNFB

Reversible Black Walnut+ Flat Black Blades

White **\$60W5-60WWOK**

Reversible **White**+ Washed Oak Blades



White **S60W5-60WWOK** Reversible White+

Washed Oak Blades





White/Satin Brass S60WSB5-60WWOK Reversible White+ Washed Oak Blades





Flat Black/Satin Brass S60FBSB5-60BWNFB Reversible Flat Black+ Black Walnut Blades



White/Polished Nickel **S60WPLN5-60WWOK**

Reversible White+ Washed Oak Blades

SUPER PRO 101 60" NEW FINISHES CLEAR BOWL LIGHT

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- \cdot 4" Downrod Included
- $\cdot \, {\rm Custom \, Reversible \, Blades \, Included}$
- Clear Glass Bowl Light Kit Included
- \cdot 3 x 7W Non-Dimmable LED Medium Base Bulbs Included
- Hardwire Switch Compatible
- Universal Remote Control Optional Sold Separately
- •Energy Guide 4324 CFM, High Speed 6555 CFM

FINISH AND BLADE PAIRINGS



Scan for more info









SUPER PRO 104 60" NEW FINISHES CLEAR 4-LIGHT KIT

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated Light Kit Included
- $\cdot\,4\,x\,7W$ Non-Dimmable LED Medium Base Bulbs Included
- Hardwire Switch Compatible
- Universal Remote Control Optional Sold Separately
- Energy Guide 4298 CFM, High Speed 6471 CFM

FINISH AND BLADE PAIRINGS



Scan for more info







Espresso







Satin Brass S104SB5-60BWNFB

Reversible Black Walnut+Flat Black Blades _



Satin Brass S104SB5-60BWNFB Reversible Black Walnut+Flat Black Blades



White S104W5-60WWOK Reversible White+Washed Oak Blades



White/Satin Brass S104WSB5-60WWOK Reversible White+Washed Oak Blades





White/Polished Nickel S104WPLN5-60WWOK Reversible White+Washed Oak Blades White/Polished Nickel S104WPLN5-60WWOK Reversible White+Washed Oak Blades

SUPER PRO 112 60" SLIM LIGHT KIT

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Flat or Angled Ceiling)
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated Light Kit Included
- 1 x 18W LED DIsk (Dimmable)
- \cdot Hardwire Switch Compatible
- · CM-7W-LED, Hard Wired, Wall Control Included
- Energy Guide 3981 CFM, High Speed 6289 CFM

FINISH AND BLADE PAIRINGS




Scan for more info












CHOOSE YOUR DOWNROD LENGTH

It is recommended to have at least 7' of clearance underneath your ceiling fan blades. For ceiling heights under 9', you should be able to use the downrod included with your fan. For higher ceilings, please see chart for recommended downrod length. For lower ceilings, we recommend a semi-flush, flushmont or hugger fan that is designed to deliver excellent airflow with maximum clearance.




Model Number	Length	Diameter	Finish Options			
DR3 (Finish)	3"	1/2"	AB, ABZ, AG, AGV, AN, BCP, BN, BNK, BR, CH, ESP, FB, GV, OB, PB, SB, W			
DR4 (Finish)	4"	1/2"	AB, AG, AGV, AN, BCP, BN, BNK, CH, ESP, FB, GBK, OB, PB, SB, W			
DR6 (Finish)	6"	1/2"	AB, AG, AGV, AN, BCP, BN, BNK, BR, CH, CW, ESP, FB, GBK, GV, LB, OB, PB, SB, TI, W			
DR12 (Finish)	12"	1/2"	AB, ABZ, AG, AGV, AN, BCP, BN, BNK, BR, CH, CW, ESP, FB, GBK, GV, LB, MWW, OB, PB, PN, SB, TI, W			
DR18 (Finish)	18"	1/2"	AB, ABZ, AG, AGV, AN, BCP, BN, BNK, BR, CH, CW, ESP, FB, GBK, GV, LB, MWW, OB, PB, PN, SB, TI, W			
DR24 (Finish)	24"	1/2"	AB, ABZ, AG, AGV, AN, BCP, BN, BNK, BR, CH, CW, ESP, FB, GBK, GV, LB, MWW, OB, PB, PN, SB, TI, W			
DR36 (Finish)	36"	1/2"	AB, ABZ, AG, AGV, AN, BCP, BN, BNK, BR, CH, CW, ESP, FB, GBK, GV, LB, MWW, OB, PB, PN, SB, TI, W			
DR48 (Finish)	48"	1/2"	AB, ABZ, AG, AGV, AN, BCP, BN, BNK, BR, CH, CW, ESP, FB, GBK, GV, OB, PB, PN, SB, TI, W			
DR60 (Finish)	60"	1/2"	AB, ABZ, AG, AN, BN, BNK, BR, ESP, FB, GBK, GV, OB, SB, TI, W			
DR72 (Finish)	72"	1/2"	AB, ABZ, AG, AN, BN, BNK, BR, ESP, FB, GBK, GV, OB, SB, TI, W			

HARDWARE ADAPTERS

Scan for more info





Available in: AG, AGV, BNK, ESP, FB, OB, PN, W

ABZ, AG, AGV, BNK, ESP, FB, OB, PN, SB, W



ABZ, AN, BN, BNK, ESP, FB, PN, SB, W

Available in: FB, PN, W



Available in: AB, ABZ, AG, AGV, AN, AO, AW, BC, BN, BNK, BR, CH, ESP, FB, GV, MBK, OB, PB, PLN, PR, W

ASAD-W Anti-Sway Device W 2.66" H .75"



Available in: AG, AW, BR, FB, GV, OB, W



REMOTE CONTROL SYSTEMS

TYPE A

- Full Range Light Control, 3-Speed Fan Control
- Battery Required for Both Handheld and Hardwired Wall Control Included
- \cdot For Use with AC Motor Ceiling Fans
- 300 Watts

Scan for more info



UCI-2000

Universal Remote Control: 2 Wires, 1.5 Amps Includes 3 Decorator Plate Inserts (Almond, Black, & White) Cannot be used on Sloped Ceiling Unless used with SMA180 (Slope Adapter)



RCI-104 Liquid Crystal Remote Control: 1.5 Amps



UCI-2000-2

Universal Remote & Wall Control: 2 Wires, 1.5 Amps Includes 3 Decorator Plate Inserts (Almond, Black, & White) Cannot be used on Sloped Ceiling Unless used with SMA180 (Slope Adapter)



RDI-103

Remote Control System: 2 Wires, 1.5 Amps Cannot be used with hugger/ flushmount ceiling fans Unless used with SMA180 (Slope Adapter)



TYPE B

- \cdot Only for use with AC Fans with 188mm motors or larger diameter
- White Faceplate Insert Included
- Full Range Light Control, 3-Speed Fan Control
- Learn Sync Method
- \cdot Wall and Handheld Versatility
- Requires 12v Battery, Single Pole and 2 Wires
- 300 Watts, 1.5 Amps Power Unit
- Cannot be used on a Sloped Ceiling

Scan for more info



118

UCIXL-2000 Remote Control System



TYPE C

- For use with DC Pull-Chain Fans only
- Full Range Light Control, 4-Speed Fan Control
- Learn Sync Method
- Requires 12v Battery, Single Pole and 2 Wires
- 300 Watts, 1.5 Amps Power Unit
- Cannot be used on a Sloped Ceiling

IDC-2000 Remote Control System



Scan for more info



TYPE D

- \cdot Almond, Black and White Faceplate Inserts Included
- Full Range Light Control, 6-Speed Fan Control
- Learn Sync Method
- Wall and Handheld Versatility
- \cdot Requires 12v Battery, Single Pole and 2 Wires
- 300 Watts, 1.5 Amps Power Unit



Scan for more info



TYPE E

- Almond, Black and White Faceplate Inserts Included
- Full Range Light Control, 6-Speed Fan Control
- Learn Sync Method
- Wall and Handheld Versatility
- \cdot Requires 12v Battery, Single Pole and 2 Wires
- 300 Watts, 1.5 Amps Power Unit

Scan for more info





WALL CONTROLS

TYPE F

- For use with DC pull-chain fans only (Except EPHA52 Models)
- 4-Speed Fan Control with Pre-set
- \cdot Push Button Functionality
- Requires Single Pole

Scan for more info



TYPE G

For use with AC Motor Fans Scan for more info



CM-4SDH 4-Speed Fan Control Single Pole 2 Wires, 1.5 Amps



CM-601F 3-Speed Fan Control Pre-set Single Pole, 3-Way 2 or 3 Wires, 1.5 Amps



CM-4SDH-5 4-Speed Fan Control Single Pole 2 Wires, 5 Amps



CM-6 4-Speed Fan Control Almond or White Plate Single Pole 2 Wires, 1.25 or 1.3 Amps



CM-4SDC-L Full Range Light Control 4-Speed Fan Control 3 Wires, 1.5 Amps

+	20		
-	2	1	
+	\$		
OLL I	I ON		

CM-4SDC 4-Speed Fan Control 2 Wires, 5 Amps



lvory

White

CM-DSF01-10Z

3-Speed Fan Control

2 or 3 Wires, 1.5 Amps

Single Pole, 3-Way

Almond

CM-RTF-W 4-Speed Fan Control Single Pole 2 Wires, 1.5 Amps



CM-7/CM-7W-LED Full Range Light Control 4-Speed Fan Control Almond or White Plate Single Pole 3 Wires, 1.25 Amps, 300W



CM-8W On/Off Light Control 3-Speed Fan Control Single Pole 3 Wires, 1.25 Amps, 300W



TYPE H

- For use with AC Motor Fans
- 3-Speed Fan Control, Up-light, Down-light
- and Reverse Functions
- Full Dimming
- On Fan per Control

Scan for more info





TYPEI

- For use with WIFI DC Motor Smart Fans
- Excludes Prost Fans
- Full Range Light Control
- Reverse Function

Scan for more info



XXII

WIDC-HANDHELD WIFI Remote Control



WIDC-WALL WIFI Wall Control



TYPE J

- \cdot For use with AC Motor Fans
- Includes WIFI Universal Intelligent Receiver
- WIFI Control through Bond App
- 3-Speed Fan Control
- Full Range Light Control

Scan for more info



WUCI-1000 NEW Universal WIFI Control



SMART HOME SYSTEM

1

Replace existing wall switch with the Smart WIFI wall control of your choice





Model WUCI-1000 Universal WIFI Fan Control for AC Motor Fans

Model WCS-100 Smart WIFI Switch Wall Control



Model WCSD-100 Smart WIFI On/Off Dimmer Switch Wall Control



Model WPS-100 Smart WIFI On/Off Indoor Wall Plug



Download the Bond App



APP ONLY FEATURES:

- Enhanced comfort with Breeze feature
- Control from anywhere with your smartphone and the Bond Home app
- Customize a timed schedule or dusk to dawn
- · Voice-activated with a smart speaker

Connect to your WIFI network



Control your fan or lights in many different ways



iOS & Android App



Google Home



Amazon Alexa



SCAN QR CODE FOR MORE INFORMATION





FINISHES



AB Antique Brass



AGTB Aged Bronze/ Textured Black



AZ Antique Bronze



BLK Black



BT Brushed Titanium



DBG Dark Bronze Gilded



ABZ Aged Bronze Brushed



AI Aged Iron



BAO Brushed Aluminum Outdoor



BN Brushed Satin Nickel



BZ Bronze



ESP Espresso



ABZC Aged Bronze Highlight



AN Antique Nickel



BB Burnished Brass



BNK Brushed Polished Nickel



CH Chrome



FB Flat Black



AG Aged Bronze Textured



AW Antique White



BCP Brushed Copper



BR Brown



CW Cottage White



FBBNK Flat Black/Brushed Polished Nickel







0BO Oiled Bronze Outdoor



PLN Polished Nickel



PW Pewter



SG Soft Gold



ТΙ Titanium



FBSB Flat Black/Satin Brass



MB Mocha Bronze



ΝΙ Natural Iron



ORB Oil-Rubbed Bronze



ΡN Painted Nickel



RT Rust



SN Satin Nickel



GBK **Gloss Black**



MBK Matte Black



ΟВ Oiled Bronze



PAB Patina Aged Brass



PR Peruvian Bronze



SA Satin Aluminum



SS Stainless Steel



GT

Gold Twilight

MN Midnight



OBG Oiled Bronze Gilded



Polished Brass





Satin Brass



ΤВ Textured Black



125





PRO

Peruvian Bronze Outdoor



SB





TW Textured White



VNI Vintage Iron



W White



WB Whiskey Barrel



WP Weathered Pine



CRAFTMADE LIGHTING LIMITED WARRANTY

Craftmade warrants all its Products to be free from defects in material and workmanship, subject to certain conditions and exclusions, for period of one year from the date the Product was shipped to the original end use purchaser. LED product is warranted for a period of 3 years from the date purchased or shipped to the original end use purchaser. **Craftmade will warrant its product only if it is sold through an authorized Craftmade dealer.**

Craftmade will, at its discretion, repair, replace or make appropriate adjustment where inspection discloses any defects occurring in normal usage within the applicable time period above, subject to the following conditions and exclusions. The following costs, expenses and damages are not covered by the provisions of this limited warranty:

(1.) labor costs including, but not limited to, costs associated with the removal and reinstallation of Product;

(2.) shipping and freight expenses required to return Product to Craftmade.

All warranties only apply to the original end use purchaser and original installation of Products. This warranty is not transferable. The provisions of this warranty to not apply to products that are used in commercial applications; used for purposes for which they are not designed or intended; which have been subjected to alteration, accidental damage, abuse, misuse, negligence or accident; which have been improperly stored, installed, maintained or operated; which have been used in violation of written instructions provided by Craftmade; which have been subjected to improper temperature, humidity or other environmental conditions; or which, based on examination by Craftmade , do not disclose to the satisfaction of Craftmade non-conformance to the warranty. Additionally, this warranty **DOES NOT COVER** scratches, abrasions, or deterioration due to the use of paints, solvents, chemicals or abrasive cleaning techniques.

The above warranties also do not apply if: The original bill of sale, delivery date, or product number cannot be verified. The parts claimed to be defective are not returned for inspection if so requested by Craftmade. The product is not in the possession of the original end use purchaser at the time warranty claim is made.

For parts, replacement, technical assistance, or additional information, please have the product model number, name or picture available and contact your lighting dealer or **Craftmade Customer Support**: 1-800-486-4892 Option 1 **Craftmade Technical Support**: 1-800-486-4892 Option 2 Or via email to **customerservice@craftmade.com**

Warranty Exclusions:

We use the best weather resistant finishes, nevertheless finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, pollutants and other environmental conditions. Any claim for fading, discoloration or "patina" of a finish on an outdoor fixture is not applicable to the above warranty. See the "Finish Care & Cleaning" instructions below for proper care and maintenance of your fixture. The environment within ten miles of a sea coast can be extremely corrosive. Even with the appropriate maintenance, products installed in this environment will typically deteriorate more than products installed in a less severe environment. Some corrosion and/or deterioration is considered "normal wear" in this environment. Any claim for finish failures or for corrosion of other components due to coastal environment conditions is not applicable to the above warranty. We cannot warranty our Direct Burial Poles due to environmental issues such as moisture, soil acidity and other corrosive soil and air conditions.

At Craftmade we try our best to assure that glass and metal finishes shown in our catalogs match the actual product, but chemical finish variations and hand applied finishes can result in differences between the actual product and printed images. Craftmade does not authorize any person to create for it any obligation or liability in connection with its Products. The maximum liability is limited to the original purchase price of the product. No action arising out of any claimed breach of this warranty by Craftmade may be brought by the Original User more than one (1) year after the cause of action has arisen. **IMPLIED WARRANTIES INCLUDING THAT OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WARRANTY. CRAFTMADE AND/OR SELLER DISCLAIMS ANY LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply to you. Refer to your local laws for your specific rights under this warranty.

CARE & CLEANING: Initial care for finishes requires periodic cleaning with a soft cloth, dampened with water. A mild nonabrasive soap may be used along with a soft cloth and water if the fixture is very dirty. Particular care should be taken to avoid abrasive materials and strong cleaning agents as they will quickly destroy the protective coatings and subject the finish to oxidation and discoloration.

CRAFTMADE FAN LIMITED WARRANTY

Craftmade warrants this fan for use as intended under the following provision: Craftmade will replace any fan which has faulty performance due to a defect in material or workmanship or fails to operate satisfactorily when failure results from normal use.

If within the first year of purchase, please contact your original dealer. Otherwise, contact **Craftmade Customer Service** at 1-800-486-4892, Option 1 or via email at **customerservice@craftmade.com**.

In the event a product is no longer available, Craftmade will make best efforts to offer a comparable product.

The purchaser shall be responsible for all costs incurred including installation fees.

This warranty does not apply when damage from mechanical, physical, electrical or water abuse results in causing the malfunction. Deterioration of finishes or other parts due to time or exposure to salt air is specifically exempted under this warranty. Glass globes and light bulbs are not covered by this warranty but will be replaced if found broken at time of purchase.

Neither Craftmade nor the manufacturer will assume any liability resulting from improper installation or use of this product. In no case shall the company be liable for any consequential damages for breach of this, or any other warranty expressed or implied whatsoever. This limitation as to consequential damages shall not apply in states where prohibited.

For parts, replacement, technical assistance, or additional information, please have the fan model number, name, or picture available and contact

Craftmade Customer Support: 1-800-486-4892 Option 1 Craftmade Technical Support: 1-800-486-4892 Option 2 or via email to customerservice@craftmade.com

TROUBLESHOOTING

WARNING: Failure to disconnect power supply prior to troubleshooting any wiring issues may result in serious injury.

Problem: Fan fails to operate.

Solutions:

- 1. Check wall switch to fan.
- 2. Check to be sure fan and wall switch are wired properly.

3. Verify reverse switch is set completely in either direction.

4. Check that red light on remote control is steady when button is pressed indicating that battery is good. If red light is flashing, battery needs to be replaced.

Problem: Fan and light fails to operate with remote.

Solutions:

1. Check that red light on remote control is steady when button is pressed indicating that battery is good. If red light is flashing, battery needs to be replaced.

2. Check wall switch battery housed underneath faceplate and replace if needed.

3. Learning process between fan and remote control may not have been successful. Turn off power and repeat instructions.

Problem: Fan operates but light fails to operate.

Solutions:

- 1. Check wall switch to fan.
- 2. Check that wires in canopy are wired properly.

 Verify light kit Molex connections are connected properly.
 Learning process between fan and remote control may not have been successful. Turn off power and repeat instructions.

Problem: Light operates but fan fails to operate.

Solution:

1. Contact Craftmade Technical Support: 1-800-486-4892 Option 2 or via email to customerservice@craftmade.com. Please have fan model name, name, or picture available.

Problem: Fan wobbles.

Solutions:

 Use the balancing kit provided in one of the hardware packs. If no blade balancing kit is provided, please call Customer Support, at 1-800-486-4892, to request one.
 Ensure set screw(s) on motor housing yoke is (are) tightened securely.

3. Ensure set screw on hanging ball is tightened securely.



MADE YOU LOOK



DALLAS Dallas Market Center Trade Mart, Suite 4902 2100 Stemmons Freeway Dallas, TX 75207

LAS VEGAS World Market Center, Suite C-496 455 S. Grand Central Parkway Las Vegas, NV 89106

18004864892

CRAFTMADE.COM